



Comment	Description	Designator	Footprint	LibRef	Quantity
KeyWarrior16		*1	SOP64P1030X234-48M	KeyWarrior16	1
cap	Capacitor	C1, C2, C3, C4	0805	cap	4
POWERLED	Typical INFRARED GaAs LED	CAPS, NUM, SCROLL	HDR1X2	LED0	3
USB Mini AB	SOCKET, USB MINI-AB THRU HOLE	J1	USB/SM0.8-6H5	USB Mini AB	1
Header 8	Header, 8-Pin	P1	HDR1X8	Header 8	1
Header 4	Header, 4-Pin	P2	HDR1X4	Header 4	1
Header 16	Header, 16-Pin	P3	HDR1X16	Header 16	1
SW-SPST	Single-Pole, Single-Throw Switch	POWER1	HDR1X2	SW-SPST	1
BC807	PNP General-purpose Transistor	Q1, Q2, Q3	SOT23	BC807	3
Res2	Resistor	R1, R2, R3, R8, R12	0805	Res2	5
Res2	Resistor	R5, R6, R7, R9, R10, R11	0603	Res2	6
USBLC6-2P6		TVS1	SOT23127P600-8N	USBLC6-2P6	1
M24C16WMN6	16Kbit Serial I _C Bus EEPROM	U1	SOP8_N	M24C16WMN6	1
XTAL 6MHz	Crystal Oscillator	Y1	C7S-6.000-12-3030-X	XTAL	1